


16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

REVISIONS					
REV	ECO	DESCRIPTIONS	DWN	CKD	APVD
1		ORIGINATED FOR REV CONTROL	7/5/01		



LINE POWER TERMINAL BLOCK

PIN	DESCRIPTION
1 G	EARTH GROUND CONNECTION
2 N	NEUTRAL CONNECTION
3 L	LINE POWER CONNECTION

RS232 TERMINAL BLOCK (TERMINAL OUT)

PIN	DESCRIPTION
1 RTN	DIGITAL RETURN
2 TX	TRANSMIT
3 RX	RECEIVE
4 DTR	DATA TERMINAL READY
5 CTS	CLEAR TO SEND

4-20 mA ANALOG OUTPUT TERMINAL BLOCK (SOFTWARE ASSIGNED)

PIN	DESCRIPTION
1	4-20 mA OUTPUT A SIG
2	4-20 mA OUTPUT A RTN
3	4-20 mA OUTPUT B SIG
4	4-20 mA OUTPUT B RTN

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ARE		<b>PANAMETRICS</b> WALTHAM, MASS. 02154-3497	
FRACTIONS	DECIMALS	ANGLES	TITLE
1/16	.001	1/16	220-240 VAC WIRING DIAGRAM, GC868 TWO PATH
DRAWN JMR 7/5/01	ENGINEER	SIZE D	DRAWING NUMBER 702-463
CHECKED		SCALE NONE	DO NOT SCALE DWG
REV 1	ECO	MODEL NO. GC868	SHEET 1 OF 1

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1